

# INDEX MAPS.

## T. 12 N. R. 8 E. 2<sup>nd</sup> Mer.

	196		196		195		195		195		195	
198	6	216	5	213	4	209	3	205	2	202	1	194
	<del>216</del>		<del>216</del>		<del>212</del>		<del>209</del>		<del>205</del>		<del>201</del>	
198	7	216	8	212	9	208	10	205	11	201	12	194
	<del>216</del>		<del>216</del>		<del>212</del>		<del>208</del>		<del>204</del>		<del>201</del>	
197	18	216	17	211	16	208	15	204	14	200	13	194
	<del>216</del>		<del>216</del>		<del>211</del>		<del>207</del>		<del>204</del>		<del>200</del>	
197	19	215	20	211	21	207	22	203	23	200	24	193
	<del>215</del>		<del>214</del>		<del>210</del>		<del>207</del>		<del>203</del>		<del>199</del>	
197	30	214	29	210	28	206	27	203	26	199	25	193
	<del>214</del>		<del>213</del>		<del>210</del>		<del>206</del>		<del>202</del>		<del>199</del>	
196	31	213	32	209	33	206	34	202	35	198	36	193
	192		192		192		191		191		191	

## T. 13 N. R. 8 E 2<sup>nd</sup> Mer.

	224		224		224		225		225		225	
229	6	249	5	244	4	240	3	237	2	232	1	224
	<del>249</del>		<del>249</del>		<del>244</del>		<del>240</del>		<del>237</del>		<del>232</del>	
229	7	248	8	243	9	240	10	236	11	231	12	223
	<del>248</del>		<del>248</del>		<del>243</del>		<del>239</del>		<del>236</del>		<del>231</del>	
228	18	247	17	243	16	239	15	235	14	231	13	223
	<del>247</del>		<del>247</del>		<del>242</del>		<del>238</del>		<del>235</del>		<del>230</del>	
228	19	246	20	242	21	238	22	235	23	232	24	223
	<del>246</del>		<del>246</del>		<del>242</del>		<del>238</del>		<del>234</del>		<del>232</del>	
227	30	245	29	241	28	238	27	234	26	230	25	222
	<del>245</del>		<del>245</del>		<del>241</del>		<del>237</del>		<del>234</del>		<del>230</del>	
227	31	244	32	241	33	237	34	233	35	229	36	222
	222		222		221		221		221		221	

[F] The figures on the lines refer to the page.

Township N. 13 North, Range N. 8 E. 2. Mer. Indiana 221  
ch. 167

South Boundary var. 7.45' E

West On S. boundary of Sec. 36, N. 13 N. 12 E.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. - bray N 41° 25' W 1.5 m. dist. of  
a Do. 13 " " " N 17° E 9 " "

80.00 Set post Cor. to Sec. 35 & 36, from which  
a Hickory 12 in. dia. - bray N 57° 14' W 1.5 m. dist. of  
an Oak 48 " " " N 41° E 9 " "

Over level wet land, timber Oak, Beech, Elm  
etc. undug<sup>th</sup> Spruce

---

West On S. boundary of Sec. 35

40.00 Set q. Sec. post, from which  
a Beech 14 in. dia. - bray N 67° E 23' W 1.5 m. dist. of  
a Do. 7 " " " N 65° W 36 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
an Elm 14 in. dia. - bray N 9° 11' 22' W 1.5 m. dist. of  
a Beech 8 " " " N 25° W 8 " "

Land timber etc. same as on the last mile

---

West On S. boundary of Sec. 34

40.00 Set q. Sec. post, from which  
a Poplar 30 in. dia. - bray N 54° 11' 7' W 1.5 m. dist. of  
a Beech 14 " " " N 73° E 19 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Beech 10 in. dia. - bray N 28° E 32' W 1.5 m. dist. of  
a Do. 8 " " " S 53° E 25 " "

Over level land, timber Beech, Ash, Sugar etc.  
undug<sup>th</sup> Spruce, good soil

---

West On S. boundary of Sec. 33

40.00 Set q. Sec. post, from which  
an Ash 7 in. dia. - bray N 81° E 11' W 1.5 m. dist. of  
a Beech 8 " " " S 52° W 10 " "

65.00 a Creek 50 m. wide Course S. W.

80.00 Set post Cor. to Sec. 32 & 33, from which

222

T3 N R8 E. 2<sup>nd</sup> Mer. Indianach. 1<sup>st</sup> m.

a Walnut 10 in. dia. bray S 85° W 20 lns. dist. of  
 an Elm 14 " " " N 43° E 22 " "  
 Sand timber &c. Same as on the last mile

West On S. boundary of Sec. 32

40.00 Set of Sec. post, from which

a Gum 8 in. dia. bray S 82° W 6 lns. dist. of  
 a Do. 12 " " " N 67° E 13 " "

80.00 Set post Cor. to Sec. 31 &amp; 32, from which

a Beech 10 in. dia. bray N 35° W 20 lns. dist. of  
 a Do. 7 " " " N 18° E 3 " "

Over good farming land, timber Beech, ash  
 &c. underg<sup>th</sup> Spruce &c.

West On S. boundary of Sec. 31

40.00 Set of Sec. post, from which

an Ash 12 in. dia. bray S 80° W 14 lns. dist. of  
 a Beech 10 " " " N 72° E 13 " "

65.25 Intersected the Town Corner as established  
 on the N & S line.

East Boundary var. 7° 45' E.

North On E. boundary of Sec. 36, T3 N. R8 E.

40.00 Set of Sec. post, from which

a Beech 9 in. dia. bray S 20° E 18 lns. dist. of  
 a Do. 10 " " " N 13° W 10 " "

46.75 an Oak 48 " "

80.00 Set post Cor. to Sec. 25 &amp; 36, from which

an Ash 12 in. dia. bray S 70° E 32 lns. dist. of  
 a Beech 13 " " " N 74° W 9 " "

Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 25

25.04 an Ash 18 in. dia.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bray S 34° E 24 lns. dist. of

# 223

## T3 N 8 E. 2<sup>d</sup> Mer. Indiana

ch. l. l. l.

a Beech 8 in. dia. bray N 9 E 19 l. dist. of  
 58.25 a Do. 16 " " "  
 80.00 Set post Cor. to Sect. 24 of 25, from which  
 an Ash 40 in. dia. bray N 44 W 3 l. dist. of  
 a Beech 20 " " " S 76 E 20 " "  
 Sand timber &c. Same as on the last mile

---

North On E. boundary of Sec. 24

14.50 a Creek 50 l. wide Course S. W.  
 24.12 a Beech 20 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 13 in. dia. bray N 75 E 18 l. dist. of  
 a Do. 8 " " " S 39 W 19 " "  
 54.50 a Creek 50 l. wide Course S. E.  
 80.00 Set post Cor. to Sect. 13 of 24, from which  
 an Ironwood 7 in. dia. bray N 63 E 3 l. dist. of  
 a Hornbeam — " " " S 63 W 21 " "  
 Sand timber &c. Same as on the last mile

---

North On E. boundary of Sec. 13

32.81 a Beech 12 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 9 in. dia. bray S 51 E 10 l. dist. of  
 a Do. 8 " " " S 66 W 38 " "  
 55.57 a W. Oak 48 " "  
 80.00 Set post Cor. to Sect. 12 of 13, from which  
 a Beech 8 in. dia. bray S 78 E 15 l. dist. of  
 a Dogw. 7 " " " S 88 E 15 " "  
 Sand timber &c. Same as on the last mile

---

North On E. boundary of Sec. 12

23.67 a Sycamore 15 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 8 in. dia. bray S 35 E 31 l. dist. of  
 a W. Oak 48 " " " S 35 W 8 " "  
 70.40 an Elm 30 " "



224 Twp. N 8 E. 2<sup>nd</sup> Mer. Indiana

ch. 2. 1/4

87.00 Set post Cor. to Sec. 1 & 12, from which  
an Ash 8 in. dia. bran N 71 E 14 1/2 in. dist. of  
a Beech 20 " " " S 50 W 23 " "  
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1

10.00 a Sugar 20 in. dia.

40.00 Set q. Sec. post, from which  
a Hickory 14 in. dia. bran South 37 1/2 in. dist. of  
a Sugar 14 " " " N 20 E 44 " "

45.00 a Creek 30 in. wide Course S. W.

68.91 Set post Cor. to Township 13 & 14 North,  
Range 8 & 9 East, from which  
a ——— 10 in. dia. bran N 49 E 20 1/2 in. dist. of  
an Ash 24 " " " N 89 W 31 " "  
(description of land &c. omitted)

North Boundary

East On Rand. S. boundary of Sec. 31, T 14 N. R 8 E

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 31 & 32, T 14 N. R 8 E.  
Rich level land B. Ash, Oak, Hickory, Beech  
Elm &c. under the Spruce

East On Rand. S. boundary of Sec. 32, T 14 N. R 8 E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 32 & 33, T 14 N. R 8 E  
Level good farming land, Elm, Sugar &c.  
under the Spruce &c.

East On Rand. S. boundary of Sec. 33, T 14 N. R 8 E

20.50 a Brook 12 in. wide Cr. S. E.

40.00 Set temp. q. Sec. post

62.00 a Brook 15 in. wide Cr. S. E.

80.00 Set temp. Cor. to Sec. 33 & 34, T 14 N. R 8 E.  
good farming land Beech, Sugar, Ash

225

T<sup>34</sup> N<sup>12</sup> E<sup>2</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2, Elm, Walnut, Oak, undg<sup>d</sup>. Spruce

---

East On Rand<sup>m</sup> S. boundary of Sec. 34, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>  
3.50 a Creek 70<sup>th</sup> wide South  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
45.00 a Brook 8<sup>th</sup> wide Course S. E.  
69.50 a Do. 12 " " " S. E.  
80.00 Set temp<sup>y</sup>. Cor. to Sec. 34, & 35, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>.  
Good farming land, Beech, Sugar, Oak & Elm

---

East On Rand<sup>m</sup> S. boundary of Sec. 35, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>  
30.50 a Brook 10<sup>th</sup> wide Cr. S. E.  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
80.00 Set temp<sup>y</sup>. Cor. to Sec. 35 & 36, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>.  
Beech, Sugar, Ash, Gum, Walnut, Spruce &c.

---

East On Rand<sup>m</sup> S. boundary of Sec. 36, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>.  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
80.00 Set temp<sup>y</sup>. Township Cor.  
Ash, Elm, Walnut, Oak, Hick<sup>y</sup>, undg<sup>d</sup>. Spruce

---

True Line.

West On S. boundary of Sec. 36, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>  
22.54 a Beech 13<sup>th</sup> m. dia.  
40.00 Set gr. Sec. post, from which  
a Beech 13<sup>th</sup> m. dia. bray S 29 E 4<sup>th</sup> m. dist. of  
a Do. 20 " " " N 15 W 28 " "  
77.00 a Do. 12 " " " "  
80.00 Set post Cor. to Sec. 35 & 36, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup> from which  
a Beech 22<sup>nd</sup> m. dia. bray S 58 E 16<sup>th</sup> m. dist. of  
a Do. 18 " " " " S 72 E 24 " "  
Over good farming land, timber Beech, ash,  
Sugar &c. undg<sup>d</sup>. Spruce.

---

West On S. boundary of Sec. 35, T<sup>34</sup> N<sup>12</sup> E<sup>2</sup>.  
6.31 a Poplar 18<sup>th</sup> m. dia.

T3 N. R8 E. 2<sup>d</sup> Mer. Indianach. 2<sup>th</sup>

- 40.00 Set of Sec. post, from which  
a Beech 20 in. dia. bray N 40 E 18 lbs. dist. of  
a Do. 20 " " " S 67 N 27 " "
- 70.87 a Do. 30 " "
- 77.60 a Brook 8 lbs. wide Course N.
- 80.00 Set post Cor. to Sec. 34 & 35, T4 N. R8 E. from which  
a Buckeye 12 in. dia. bray South 6 lbs. dist. of  
a Beech 13 " " " N 11 N 8 " "  
Land timber &c. Same as on the last mile

## West On S. boundary of Sec. 34, T4 N. R8 E

15.06 an Ash 20 in. dia.

- 40.00 Set of Sec. post, from which  
an Ironwood 8 in. dia. bray S 22 N 11 lbs. dist. of  
a Poplar 22 " " " N 52 E 8 " "

55.00 a Beech 30 " "

62.10 a Creek 70 lbs. wide Course S. W.

- 80.00 Set post Cor. to Sec. 33 & 34, T4 N. R8 E. from which  
a Beech 24 in. dia. bray S 76 E 24 lbs. dist. of  
a Do. 20 " " " S 58 N 37 " "

Over good farming land, timber Beech, Sugar  
Poplar &c. undergrowth Spice

## West On S. boundary of Sec. 33, T4 N. R8 E.

4.76 a Brook 10 lbs. wide Course S.

20.13 a Beech 16 in. dia.

- 40.00 Set of Sec. post, from which  
a Beech 16 in. dia. bray S 70 E 17 lbs. dist. of  
a Do. 7 " " " N 2 N 2 " "

44.50 a Brook 7 lbs. wide Course S.

61.58 an Elm 22 in. dia.

- 80.00 Set post Cor. to Sec. 32 & 33, T4 N. R8 E. from which  
a Beech 13 in. dia. bears N 7 E 18 lbs. dist. &  
a Do. 18 " " " S 38 E 33 " "

Over good farming land timber Beech, Sugar, Oak,  
Ash &c. undergrowth Spice.

# 227

## T13N R8E. 2<sup>d</sup>. Mer. Indiana

ch. 2<sup>d</sup>. 1<sup>st</sup> m.

West On S. boundary of Sec. 32, T14N. R8E.

7.00 a Beech 22 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 15 in. dia. bray S40 W 21 1/2 m. dist. of  
a Do. 18 " " " N51 E 16 " "

48.50 a Beech 14 " "

80.00 Set post Cor. to Sec. 31 & 32, T14N. R8E. from which  
an Ash 22 in. dia. bray N75 E 47 1/2 m. dist. of  
a Do. 36 " " " S70 W 23 " "  
Over good farming land, timber Beech, Oak  
fe. underg<sup>th</sup>. Spruce &c.

West On S. boundary of Sec. 31, T14N. R8E.

14.15 a Beech 15 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 18 in. dia. bray North 3 1/2 m. dist. of  
a Do. 18 " " " S81 W 15 " "

66.72 Intersected the Cor. to Township 13 & 14 N.  
Range 7 & 8 East.

Land timber &c. same as on the last mile  
July 25<sup>th</sup> 1879

var. 7.30 E.

### West Boundary.

North On E. boundary of Sec. 36, T13N. R7E.

19.60 a Hickory 12 in. dia.

40.00 Set q. Sec. post, from which  
a Sugar 8 in. dia. bray S69 W 19 1/2 m. dist. of  
a Beech 27 " " " N4 E 45 " "

49.00 a P. Oak 40 " "

80.00 Set post Cor. to Sec. 25 & 36, T13N. R7E. from which  
a Beech 9 in. dia. bray S31 W 22 1/2 m. dist. of  
a Do 14 " " " N18 E 18 " "

Land level, timber Beech, Ash, Elm, Oak &c.  
underg<sup>th</sup>. Spruce, Ash &c. Soil good.

North On E. boundary of Sec. 25, T13N. R7E.

12.40 a Beech 24 in. dia.



228 T13 N R8 E. 2<sup>d</sup> Mer. Indiana

ch. 1/4

17.20 a Branch 5<sup>th</sup>. wide Course S. W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Hickory 15 in. dia. bray N 31 E 4<sup>th</sup>. dist. of  
a do. 27 " " " N 73 W 25 " "

48.80 a Beech 15 in. dia.

74.82 a Branch 6<sup>th</sup>. wide Course S. W.

80.00 Set post Cor. to Sec. 24 & 25, T13 N R7 E from which  
a Beech 15 in. dia. bray S 19 W 12<sup>th</sup>. dist  
a Sugar 9 " " " N 13 E 18 " "  
Land <sup>fert.</sup> timber Beech, Ash, Poplar, Sugar &c.  
underg<sup>d</sup>. Spice, Brier &c. Soil good.

North On E. boundary of Sec. 24, T13 N R7 E.

7.20 a Red Oak 40 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 27 in. dia. bray North 15<sup>th</sup>. dist. of  
a Beech 9 " " " N 18 W 29 " "

71.05 a Beech 15 " "

80.00 Set post Cor. to Sec. 13 & 24, T13 N R7 E, from which  
an Ash 15 in. dia. bray N 67 E - Cor. dist. of  
a Beech 12 " " " N 10 E 10 " "  
Land level, timber, Beech, Ash, Elm, Sugar &c.  
underg<sup>d</sup>. Spice, prickly Ash &c. good Soil

North On E. boundary of Sec. 13, T13 N R7 E

18.40 a W. Oak 36 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 30 in. dia. bray S 40 W 8<sup>th</sup>. dist. of  
a do 5 " " " N 77 E 22 " "

47.33 a Poplar 24 " "

51.50 a Beech 27 " "

79.90 a Creek 60<sup>th</sup>. wide Course West

80.00 Set post Cor. to Sec. 12 & 13, T13 N R7 E, from which  
a Poplar 9 in. dia. bray N 12 E 5<sup>th</sup>. dist. of  
a Sycamore 9 " " " N 26 W 27 " "  
Land timber &c. Same as on the last mile



# T3 N 8 E. 2. Mer. Indiana 229

ch. 2<sup>th</sup>  
 North On E. boundary of Sec. 12, T3 N. R7 E.  
 37.50 a Branch 6<sup>th</sup>. wide Course N. E.  
 39.00 Same 6 " " " N. W.  
 40.00 Set of. Sec. post, from which  
     a Beech 18 in. dia. bray N 15 W 35<sup>th</sup>. dist. of  
     a Sycamore 12 " " " N 14 E 16 " "  
 41.90 Same (branch above) 6<sup>th</sup>. wide Course N. E.  
 43.80 Same " " " S. E.  
 55.25 Same " " " N. E.  
 56.60 Same " " " S. E.  
 72.00 a Beech 21 in. dia.  
 80.00 Set post Cor. to Sec. 13 of 12, T3 N. R7 E. from which  
     a Beech 12 in. dia. bray S 50 W 12<sup>th</sup>. dist. of  
     a Sugar 24 " " " N 50 E 31 " "  
     Rolling land, timber Beech, Ash, Sugar &c.  
     undergrowth. Spice, greenbrier, &c. Soil good

---

North On E. boundary of Sec. 1, T3 N. R7 E.  
 10.85 a Beech 18 in. dia.  
 40.00 Set of. Sec. post, from which  
     a Beech 19 in. dia. bray N 37 W 1<sup>th</sup>. dist. of  
     an Ash 24 " " " S 32 E 7 " "  
 67.00 Set post Cor. to Township 13 of 14 North, of  
     Range 7 of 8 E, from which  
     an Aspen 15 in. dia. bray N 2 E. 25<sup>th</sup>. dist. of  
     a W. Oak 12 " " " S 2 W 22 " "  
     Sand timber &c. Same as on the last mile  
     July 21<sup>st</sup> 1879  
     Surveyed by John M. Donald  
     Deputy Surveyor

---

Subdivision. var 7.45 E.

North Between Sec. 35 of 36, T3 N. R8 E.  
 13.61 an Ash 12 in. dia.  
 40.00 Set of. Sec. post, from which  
     a Beech 3 in. dia. bray N 67 W 21<sup>th</sup>. dist. of

# S 3<sup>d</sup> N. R 8 E, 2<sup>nd</sup> Mer. Indiana ch. 16<sup>th</sup>

a Hornbeam 3 in. dia. bray S 44 E 9<sup>th</sup> dist.

62.30 an Ash 24 " "

80.00 let post Cor. to Sec. 25, 26, 35 & 36, from which

a Beech 14 in. dia. bray North 29<sup>th</sup> dist. &

a Do. 10 " " " S 37 W 35 " "

Land 2<sup>nd</sup> rate, timber, Beech, Ash, Sug. & Oak  
underg<sup>th</sup> Spruce.

East On Rand<sup>m</sup> between Sec. 25 & 36

14.92 a Hickory 14 in. dia.

40.00 let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.50 intersected Co. boundary 223<sup>th</sup> N. of post

Land 2<sup>nd</sup> rate, timber, Ash, Beech, Sug. Oak &c.

West Connected between Sec. 25 & 36.

15.55 an Ash 10 in. dia.

40.25 let q<sup>r</sup>. Sec. post, at average dist. from which

an Elm 12 in. dia. bray S 4 W 24<sup>th</sup> dist. &

a Beech 6 " " " N 6 E 18 " "

80.50 to Sec. Corner.

North Between Sec. 25 & 26,

12.15 a W. Oak 72 in. dia.

40.00 let q<sup>r</sup>. Sec. post, from which

an Elm 12 in. dia. bray S 32 E 2<sup>th</sup> dist. &

a Buckeye 3 " " " N 62 W 5 " "

54.25 a Stream 25<sup>th</sup> N. wide Course N. W.

73.61 a Poplar 18 in. dia.

80.00 let post Cor. to Sec. 23, 24, 25 & 26, from which

a Beech 24 in. dia. bray S 33 E 17<sup>th</sup> dist. &

a Do. 12 " " " N 27 W 40 " "

Land 2<sup>nd</sup> rate, Beech, Elm &c.

\*

East On Rand<sup>m</sup> between 13 & 24

23.00 a S. Gum 30 in. dia.

40.00 let temp<sup>y</sup>. q<sup>r</sup>. Sec. post,

\* For line between Sec. 24 & 25 - 25 & 24 See page 232.

T13. N. R8 E. 2<sup>nd</sup> Mer. Indiana 231  
ch. 1/4

73.50 a stream 25 lms. wide C. S. N. W.  
80.10 Intersected E. boundary 5 lms. N. of post  
Sand level 2<sup>nd</sup> rate, timber Beech, Poplar  
Ash, Gum, Oak &c.

---

West Corrupted between Sec. 13 & 14  
40.05 Set q. Sec. post, from which  
at Beech 16 in. dia. bray N 12 E. 23 lms. dist. of  
a W. Oak 14 " " " N 16 W 28 " "  
80.10 to Sec. Corner

---

North Between Sec. 13 & 14  
10.66 an Ash 12 in. dia.  
40.00 Set q. Sec. post, from which  
at Beech 18 in. dia. bray N 85 W 10 lms. dist. of  
a do. 10 " " " S 58 E 9 " "  
56.61 a do. 12 " "  
80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which  
at Beech 7 in. dia. bray N 35 W 7 lms. dist. of  
a do. 14 " " " S 45 E 25 " "  
Sand timber &c. same as on the last mile

---

East On Land between Sec. 12 & 13  
20.17 at Beech 14 in. dia.  
40.00 Set temp. q. Sec. post  
80.25 Intersected the N. & S. line 13 lms. S. of post  
Sand 2<sup>nd</sup> rate too flat

---

West Corrupted between Sec. 12 & 13  
7.40 a Beech 18 in. dia.  
40.12 Set q. Sec. post at average dist. from which  
an Ash 4 in. dia. bray North 18 lms. dist. of  
a Hornbeam 6 " " " South 3 " "  
80.25 to Sec. Corner

---

North Between Sec. 11 & 12

N 31° 12' E. 2<sup>nd</sup> Mer. Indianach. 2<sup>nd</sup> 1/2

12.68 an Ash 36 in. dia.

40.00 Let q. Sec. post, from which  
an Ash 12 in. dia. bear N 43° 11' 26" E, dist. of  
at Beech 5 " " " 157 E 25 " "

62.03 a Sugar 24 " "

80.00 Let post Cor. to Sec. 1, 2, 11 & 12, from which  
a Hickory 12 in. dia. bear N 33° 8' 4" E, dist. of

a Beech 12 " " " 173 W 4 " "

Land 2<sup>nd</sup> rate - Oct. 6<sup>th</sup> 1819\* East On Land<sup>m</sup>. between Sec. 24 & 25

19.20 a Beech 10 in. dia.

40.00 Let temp. q. Sec. post

56.00 a Stream 25 ft. wide Course N. W.

80.75 Intersected the E. boundary 65 th. N. of post  
Land timber &c. same as on the last mile

## West Corrected between Sec. 24 &amp; 25

6.95 an Elm 30 in. dia.

40.37 Let q. Sec. post at average dist. from which  
a Beech 10 in. dia. bear N 15° 11' 19" W, dist. of  
an Ash 3 " " " 129 E 19 " "

80.75 to Sec. Corner.

## \* North Between Sec. 23 &amp; 24

11.43 a Hickory 12 in. dia.

40.00 Let q. Sec. post, from which  
an Ash 10 in. dia. bear S 89° 11' 5" W, dist. of  
a Beech 12 " " " 122 E 16 " "

55.00 a Sugar 12 " "

80.00 Let post Cor. to Sec. 13, 14, 23 & 24 from which  
a Gum 4 in. dia. bear S 29° 11' 21" W, dist. of

a Hickory 12 " " " 125 E 30 " "

Land 2<sup>nd</sup> rate.East On Land<sup>m</sup>. between Sec. 1 & 12



# 233

## T13 N R8 E. 2<sup>d</sup>. Mer. Indiana

ch. p. lth

- 13.16 a W. Oak 13 mi. dist.  
 40.00 Let temp. q. Sec. post  
 81.13 Intersected E. boundary 35 th. S. of post  
 Land 2<sup>d</sup>. rate, timber Beech, Oak, Gum, Oak &c  
 underg<sup>d</sup>. Spruce.
- 

West Corrected between Sec. 1 & 2

- 10.13 a Beech 8 mi. dist.  
 40.56 Let q. Sec. post at average dist. from which  
 an Elm 14 mi. dist. bearing N 13° W 45 th. dist. of  
 a Sugar 12 " " " S 31° W 11 " "  
 81.13 to Sec. Corner
- 

North Between Sec. 1 & 2

- 25.84 a Beech 13 mi. dist.  
 40.00 Let q. Sec. post, from which  
 a W. Oak 48 mi. dist. bearing N 87° E 25 th. dist. of  
 a Beech 8 " " " S 47° W 18 " "  
 51.06 an Elm 48 " "  
 67.07 Intersected the N. boundary 210 th. E. of post  
 Let post Cor. to Sec. 1 & 2, from which  
 a Beech 6 mi. dist. bearing S 59° E 23 th. dist. of  
 a Do. 10 " " " N 25° W 23 " "  
 Land 2<sup>d</sup>. rate
- 

North Between Sec. 34 & 35

- 10.07 a Beech 12 mi. dist.  
 40.00 Let q. Sec. post, from which  
 a Beech 30 mi. dist. bearing N 35° W 33 th. dist. of  
 a Do. 24 " " " S 74° E 13 " "  
 57.47 a Do. 16  
 72.50 a stream 25 th. wide Course S. W  
 80.00 Let post Cor. to Sec. 26, 27, 34 & 35, from which  
 a Beech 18 mi. dist. bearing N 55° E 23 th. dist. of  
 a Do. 12 " " " S 34° W 15 " "  
 (Description of land &c. Omitted)



234

T3. N. R. & E. 2<sup>d</sup>. Mer. IndianaCh. P. Lk.  
East On Rand<sup>m</sup>, between Sec. 26 & 35

25.53 a Beech 8 mi. dist.

40.00 Set trap<sup>y</sup>. of Sec. post79.25 Intersected the N of S. line 20 lks. S. of post  
Land 2<sup>d</sup> rate, timber Beech, Maple, Oak &c.

West Corrected between Sec. 26 &amp; 35

8.63 a Hickory 18 mi. dist.

39.62 Set of Sec. post at average dist. from which  
at Beech 10 mi. dist. bears N 81 W 14 lks. dist. of  
a Do. 24 " " " S 7 E 25 " "

79.25 to Sec. Corner

North Between Sec. 26 &amp; 27

14.00 a Stream 25 lks. wide Course S. W.

15.03 a Sycamore 60 in. dia.

40.00 Set of Sec. post, from which

a B. Oak 36 in. dia. bears S 88 E 31 lks. dist. &amp;

a Beech 14 " " " N 57 W 38 " "

65.25 a Hackberry 24 " "

80.00 Set post cor. to Sec. 22, 23, 26 &amp; 27, from which

a Hornbeam 6 in. dia. bears N 22 W 8 lks. dist. &amp;

a Beech 12 " " " S 67 E 17 " "

Land 2<sup>d</sup> rateEast On Rand<sup>m</sup>, between Sec. 23 & 26

28.34 an Ash 12 mi. dist.

40.00 Set trap<sup>y</sup>. of Sec. post79.15 Intersected the N of S. line 24 lks. S. of post  
Land 2<sup>d</sup> rate timber Oak, Beech, Ash &c.  
underg<sup>th</sup>. Spruce, prickly Ash

West Corrected between Sec. 23 &amp; 26

10.20 a Beech 24 mi. dist.

39.57 Set of Sec. post at average dist. from which  
an Ash 24 mi. dist. bears N 19 E 16 lks. dist.

235

*3<sup>rd</sup> R 8 E. 2<sup>nd</sup> Mer. Indiana*  
*ch. 1<sup>st</sup> 1<sup>st</sup>*  
*a Hickory 12 in. diam. bears S 57 W 10 links dist. &*  
*79.15 to Sec. Corner. Oct. 7<sup>th</sup> 1819*

---

*North Between Sec. 22 & 23*

40. 00 Set a q<sup>d</sup> Sec post from which a  
 Beech 20 in diam bears N. 51. E. 10 links dist, and a  
 Do 3. " " " N. 54 W. 25. " "  
 47. 44 A Beech 24 in diam.  
 56. 00 Set a post Corner to Sec. 22. 23. 14 & 15. from which a  
 Hickory 12 in diam bears N. 27. W. 20 links dist, and a  
 Do 14. " " " S. 36. E. 25 " "  
 Land 2<sup>nd</sup> rate Timber. Beech. Poplar. Ash. Oak. &c.
- 

*East On a Random between Sec. 14 & 23.*

15. 15. A Beech 15 in diam.  
 46. 00 Set a temp.<sup>d</sup> q<sup>d</sup> Sec post  
 79. 00 Intersect the N. & S line 25 links South of the Post.
- 

*West Corrected between Sec. 14 & 23.*

9. 00 A Hickory 30 in diam.  
 39. 50. Set q<sup>d</sup> Sec post at aver. dist, from which a  
 Beech 14 in diam bears S. 57 W. 30 links dist, and a  
 Do 10. " " " N. 73. E. 10. " "  
 79. 00 to Sec. Corner  
 Land 2<sup>nd</sup> rate Timber. Beech. Ash. Sugar. &c. Underg<sup>d</sup>.  
 Spice.
- 

*North Between Sec. 14 & 15.*

22. 56. A Beech 18 in diam.  
 40. 00 Set q<sup>d</sup> Sec post from which a  
 Beech 12 in diam bears S. 59. E. 3 links dist, and a  
 Do 12. " " " N. 54 W. 10. " "  
 48. 28. A Beech 18. " "  
 80. 00 Set a post Cor. to Sec. 10 11. 14 & 15. from which a  
 Beech 24 in diam bears S. 86. W. 32 links dist, and a  
 Do 30. " " " S. 60. E. 5. " "  
 Land 2<sup>nd</sup> rate Timber. Beech. Ash. Oak. &c.

## T 13 N R 8 E Mer. Indiana

ch. 4

- East On a Random between Sec. 11. & 14.  
 18. 78. A Buck 6. in. diam.  
 40. 00 Set up Sec. post (Temp.)  
 79. 19. Intersect the N. & E. line 25 links South of the Post.

- West Corrected between Sec. 11. & 14.  
 7. 20 An Ash 20. in. diam.  
 39. 59. Set up Sec. post at aver. dist. from which a  
 Buck 7. in. diam. bears S 55. W. 18. links dist. and a  
 Do 13. " " " N 80. E. 22. " "  
 Land 2<sup>nd</sup> rate. Timber. Buck. Maple, Oak. &c. Undergr.  
 79. 19 to Sec. Corner  
 Thickly Ash. Green Birch. &c.

- North Between Sec. 10 & 11.  
 5. 00. A Poplar. 24. in. diam.  
 40 00 Set a up Sec. post from which a  
 Buck 24. in. diam. bears S 73. E. 29. links dist. & a  
 Poplar 24. " " " N. 30. W. 23. " "  
 50. 09 A Buck 14. " "  
 50. 00 Set post Cor. to Sec. 2. & 10 & 11. from which a  
 Buck 18. in. diam. bears N. 50. W. 21. links dist. & an  
 Elm 16. " " " S 75. E. 22. " "  
 Land 2<sup>nd</sup> rate. Timber same.

- East On a Random between Sec. 2. & 11.  
 25. 47. A Poplar 18. in. diam.  
 40. 00 Set temp. up Sec. post.  
 79. 04 Intersect the N. & E. line 6 links North of the Post.

- West Corrected between Sec. 2. & 11.  
 12. 28. An Ash 6. in. diam.  
 59. 52. Set up Sec. post at aver. dist. from which a  
 Buck 14. in. diam. bears N. 40. W. 24. links dist. & a  
 Do 24. " " " S 57. E. 11. " "  
 Land 2<sup>nd</sup> rate. Timber. Buck. Ash. Sugar. Oak, &c  
 79. 04 to Sec. Corner  
 Undergr. Thickly Ash &c

# T3 N R8 E. 2<sup>nd</sup> Mer. Indiana

237

ch. 4<sup>th</sup>

North Between Sec. 2. & 3.

20. 90. A B. Oak 30. in. diam.

40. 00 Set q<sup>r</sup>. Sec. post from which a

Beech 24. in. diam. bears N 59. W. 49. links dist. and a

Do. 20. " " " " N 69. E. 23. " "

50. 75. A Beech 26. in. diam.

55. 50. Intersect the North Boundary 3 chains East of the Post.

Set a post Cor. to Sec. 2. & 3. from which a

Beech 10. in. diam. bears S 47. W. 3. links dist. and a

Do. 12. " " " " N 85. E. 16. " "

Land 2<sup>nd</sup> rate. Timber. Beech. Ash. &c. Co. 8<sup>th</sup> 1819.

North Between Sec. 33. & 34.

15. 09. A Beech 14 in. diam.

40. 00 Set q<sup>r</sup>. Sec. post. from which a

Beech 12. in. diam. bears N 55. E. 09. links dist. and a

Do. 5. " " " " N 88. W. 17. " "

50. 70. A Sycamore 30. in. diam.

50. 90. A Stream 25. links wide. Course S. W.

80. 00 Set post Cor. to Sec. 27. 28. 33. & 34. from which a

Beech 10. in. diam. bears N 50. W. 35. links dist. and a

Do. 12. " " " " N 00. E. 0. " "

Land 2<sup>nd</sup> rate.

East On a Random between Sec. 27. & 34.

9. 14 A W. Oak 30. in. diam.

40. 00 Set a temp<sup>l</sup> q<sup>r</sup>. Sec. post.

52. 25. A Stream 25. links wide. Crs. North

80. 50. Intersect the N. & E. line 40. links South of the Post.

West Corneted between Sec. 27. & 34.

18. 15. An Ash 15. in. diam.

40. 25. Set a q<sup>r</sup>. Sec. post at aver. dist. from which a

Sycamore 30. in. diam. bears S 24. W. 31. links dist. and a

Ash 8. " " " " N 7. W. 14. " "

80. 50 to Sec. Corner.  
Land 2<sup>nd</sup> rate. Timber same as last mile

# Set R.E.D. Mer Indiana

Ch. 1/4

North Between Sec? 27 & 28.

12. 80. An Ash 24 in. diam.

40. 00 Set a 1/4 Sec post from which a

Buckeye 7 in. diam. bears N 11. E 10. links dist. and a  
Sugar 5. " " " S 42 E 11. " "

47. 50. A Buck 14. " "

50. 00 Set a Post Cor. to Sec? 21, 22, 27 & 28. from which a

Sugar 10 in. diam. bears S 45. W 2. links dist. and a  
Buck 11. " " " S 45. E. 10. " "

Land 2<sup>nd</sup> rate.

East On a Random between Sec? 22 & 27.

12. 11. A Buck 24 in. diam.

40. 00 Set a temp? 9? Sec post.

50. 70. Intersect the N & S line 20 links North of the Post.

West Connected between Sec? 22 & 27.

7. 54. A Sweet Gum 30 in. diam.

40. 55. Set a 9? Sec post at aver. dist. from which a

Sugar 24 in. diam. bears North 27. links dist. and a  
Buck 8. " " " S 32. E. 17. " "

50. 70 top Sec. Corner  
Land 2<sup>nd</sup> rate. Timber same.

North Between Sec? 21 & 22

18. 45 a W. Oak 40 in. diam.

40. 00 Set of Sec. post, from which

an Elm 26 in. diam. bears West 12 in. dist. of  
an Ash 6 " " " S 25 W 12 " "

75. 84 a Poplar 36 " "

80. 00 Set post Cor. to Sec? 15, 16, 21 & 22, from which  
a W. Oak 24 in. diam. bears N 26 E 9 in. dist. of  
a Sugar 14 " " " S 88 W 13 " "  
Land timber Beech, Oak, Ash &c.

East On Rand<sup>m</sup>. between Sec? 15 & 22

8. 50 a Poplar 36 in. diam.



T13 N R8 E. 2<sup>nd</sup> Mer. Indiana 239

ch. l<sup>y</sup>

40.00 Let temp<sup>y</sup>. of Sec. post

80.80 Intersected the N & S. line 29 l<sup>y</sup>. S. of post  
Land, timber &c. Same as on the last mile

West Corrected, between Sec. 15 & 22

15.25 a Beech 12 m. dist.

40.40 Let of Sec. post at average dist. from which  
a Beech 6 m. dist. bear S 88° W 9 l<sup>y</sup>. dist. of  
an Ash 10 " " " S 78° E 11 " "

80.80 to Sec. Corner. Oct. 9<sup>th</sup>. 1819

North Between Sec. 15 & 16

16.85 a W. Oak 30 m. dist.

40.00 Let of Sec. post, from which  
a Beech 10 m. dist. bear N 86° E 2 l<sup>y</sup>. dist. of  
a do. 12 " " " S 84° W 12 " "

64.84 a do. 30 " "

80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which  
a Beech 10 m. dist. bear N 46° W 8 l<sup>y</sup>. dist. of  
a Sugar 7 " " " S 42° E 18 " "  
Land timber &c. Same as on the last mile

East On Rand<sup>m</sup>. between Sec. 10 & 15

18.07 a Poplar 18 m. dist.

40.00 Let temp<sup>y</sup>. of Sec. post

80.70 Intersected the N & S. line 50 l<sup>y</sup>. N. of post  
Land 2<sup>nd</sup> rate, timber, Beech, Ash, Sugar,  
Oak &c. underg<sup>d</sup>. Spruce & prickly Ash.

West Corrected, between Sec. 10 & 15

9.19 a Beech 16 m. dist.

40.35 Let of Sec. post, at average dist. from which  
a Beech 4 m. dist. bear S 87° E. 16 l<sup>y</sup>. dist. of  
a do 18 " " " S 77° W 25 " "

80.70 to Sec. Corner.

2440) T3N. R8E. 2<sup>d</sup>. Mer. Indiana

ch<sup>2</sup> 1<sup>1</sup>/<sub>2</sub> mi.  
North Between Sec. 9 & 10

10.00 a Beech 12 mi. dist.

40.00 Set gr. Sec. post, from which  
a Beech 14 mi. dist. bray S80°W 19 1/2 mi. dist. of  
a Do. 8 " " " S71°E 18 " "

56.95 a Do. 10 " "

80.00 Set post Cor. to Sec. 9, 10, 3 & 4, from which  
a Beech 10 mi. dist. bray S88°E 22 1/2 mi. dist. of  
a Do. 24 " " " N72°W 25 " "  
Land timber &c. same as on the last mile

---

East On Random between Sec. 3 & 10

24.75 a Beech 8 mi. dist.

40.00 Set temp. gr. Sec. post.

80.60 Intersected the N & S. line 5 mi. N. of post  
Land timber &c. same as on last mile

---

West Corrected between Sec. 3 & 10

19.75 a W. Oak 30 mi. dist.

40.30 Set gr. Sec. post from which  
an Ash 24 mi. dist. bray N30°W 12 mi. dist. of  
a Do. 10 " " " S37°E 19 " "

80.60 to Sec. Corner.

---

North Between Sec. 3 & 4

13.25 a Lyncamore 36 mi. dist.

13.50 a Stream 30 mi. wide Course S. W.

40.00 Set gr. Sec. post, from which  
a Beech 30 mi. dist. bray S80°W 13 mi. dist. of  
a Do 13 " " " N58°E 36 " "

53.24 a Do 24 " "

65.75 Intersected N. boundary 219 mi. E. of post  
Set post Cor. to Sec. 3 & 4, from which  
a Beech 10 mi. dist. bray S65°W 3 mi. dist. of  
a Do. 18 " " " N10°W 17 " "  
(Description of land &c. Omitted)

241.

T<sup>3</sup> N R 8 E, T<sup>2</sup> Mer. Indiana

ch. P. Lk.

North Between Sec. 32 & 33

13.95 a Maple 12 mi. dist.

40.00 Let gr. Sec. post, from which  
an Ash 36 mi. dist. by N 51° 35' E 35 lbs. dist. of  
a do. 13 " " " S 71° 23 " "

80.00 Let post Cor. to Sec. 28, 29, 32 & 33, from which  
a Hickory 20 mi. dist. by N 31° 16' E 6 lbs. dist. of  
an Iron? 10 " " " S 24° 16 " "

Land 2<sup>nd</sup> rate, timber Beech, Poplar, Ash, Sugar  
Oak &c. Oct. 10. 1819

East On Land<sup>m</sup>. between Sec. 28 & 33

14.58 an Ash 8 mi. dist.

40.00 Let temp. gr. Sec. post

80.14 intersected the S. line 40 lbs. S. of post  
Land 2<sup>nd</sup> rate, timber, Beech, Ash, Sugar  
Oak &c. under 4<sup>th</sup> Spec. & green briar

West Connected between Sec. 28 & 33

10.47 a Beech 18 mi. dist.

40.07 Let gr. Sec. post at average, dist. from which  
a Sugar 20 mi. dist. by S 50° 11' E 20 lbs. dist. of  
a Beech 9 " " " N 71° 17 " "

80.14 to Sec. Corner

North Between Sec. 28 & 29

19.35 a Hickory 20 mi. dist.

40.00 Let gr. Sec. post, from which  
a Beech 6 mi. dist. by N 38° 11' E 21 lbs. dist. of  
a do. 12 " " " S 52° 11' E 24 " "

64.67 a do. 10 " "

80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which  
an Iron? 14 mi. dist. by N 87° 11' E 19 lbs. dist. of  
a Beech 12 " " " S 65° 15 " "

Land 2<sup>nd</sup> rate, timber same as last mile

242 *St. R. C. I. Mer. Indiana*

ch. 1.14

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 21 & 28

4.42 a Beech 18 mi. dist.

40.00 Let temp<sup>y</sup>. gr. Sec. post

80.28 Intersected the N of S. line 14 th. N. of post  
Land I<sup>st</sup>. rate, timber Beech, Ash, Sugar, Oak  
Maple, Elm &c.

West Corrected between Sec<sup>s</sup>. 21 & 28

16.00 a Beech 12 mi. dist.

40.14 Let gr. Sec. post at average dist. from which  
a Beech 12 mi. dist. by N 54° 30' E 30 th. dist. of  
an Ash 7 " " " N 52° 25' " "

80.28 to Sec. Corner

North Between Sec<sup>s</sup>. 20 & 21

21.10 a Beech 30 mi. dist.

40.00 Let gr. Sec. post, from which

a Beech 24 mi. dist. by N 54° E 7 th. dist. of

a Do 10 " " " N 50° W 24 " "

72.78 a Do. 18 " "

80.00 Let post, Cor. to Sec<sup>s</sup>. 16, 17, 20 & 21, from which  
an Ash 14 mi. dist. by N 85° W 28 th. dist. of

a Walnut 30 " " " N 62° E 31 " "

Land timber &c. Same as on the last mile

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 16 & 21

19.14 a Poplar 36 mi. dist.

40.00 Let temp<sup>y</sup>. gr. Sec. post

80.00 Intersected the N of S. line 2 th. N. of post  
Land timber &c. Same as on the last mile

West Corrected between Sec<sup>s</sup>. 16 & 21

14.55 a Beech 12 mi. dist.

40.00 Let gr. Sec. post, at average dist. from which  
a Beech 14 mi. dist. by N 36° W 11 th. dist. of

a Do 20 " " " N 41° E 45 " "



243  
N 31° 28' E, 2<sup>nd</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2  
80.00 to Section Corner

---

North Between Secs. 16 & 17

10.72 a Sugar 12 in. dia.

40.00 Set g. Sec. post, from which

a Beech 8 in. dia. bray N 28° W 16 in. dist. of

a Do. 14 " " " S 39° E 9 " "

63.67 a Beech 30 " "

75.75 a stream 10 in. wide Course S. W.

80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which

a Beech 12 in. dia. bray N 4° E 17 in. dist. of

a Do. 14 " " " S 24° W 21 " "

Sand timber &c. same Oct. 11. 1819

---

East On Land<sup>gm</sup> between Secs. 9 & 16

14.77 a Sugar 12 in. dia.

40.00 Set g. Sec. post, temporarily

80.10 Intersected the N of S line 6 in. S. of post

Sand, timber &c. same as on the last mile

---

West Corrected between Secs. 9 & 16

4.15 a Beech 14 in. dia.

40.05 Set g. Sec. post, at average dist. from which

a Sugar 10 in. dia. bray S 85° E 6 in. dist. of

a Do. 10 " " " N 33° W 15 " "

80.10 to Sec. Corner.

---

North Between Secs. 8 & 9

20.45 an Ash 4 in. dia.

34.25 a stream 30 in. wide Course S. W.

40.00 Set g. Sec. post, from which

a Walnut 10 in. dia. bray N 14° E 12 in. dist. of

a Do. 7 " " " S 42° W 12 " "

53.73 a Beech 34 " "

80.00 Set post, Cor. to Secs. 4, 5, 8 & 9, from which

a Beech 32 in. dia. bray N 46° W 22 in. dist. of



244

S 13 N 1 C 8 E. 2<sup>d</sup> Mer Indianach 2<sup>th</sup>

a Beech 14 in. dia., bray S 30 E 25 lb. dist.  
 Sand 2<sup>nd</sup> rate, Beech, Walnut, Ash &c.

East On 1<sup>st</sup> land 9<sup>m</sup>. between Sec. 4 & 99.9<sup>3</sup> a Beech 14 in. dia.

22.25 a stream 30 lb. wide Corner S. W.

40.00 Set temp. of Sec. post

80.20 Intersected the N of S. line 2<sup>th</sup> N. of post  
 Sand timber &c. Same as on the last mile

West Connected between Sec. 4 &amp; 9

16.25 a Beech 14 in. dia.

40.10 Set of Sec. post, at average dist. from which  
 a Hackberry 3 in. dia., bray S 28 W 6 lb. dist.  
 a Buckeye 5 " " " S 6 W 35 " "

80.20 to Sec. Corner.

North Between Sec. 4 &amp; 5

12.85 a Beech 24 in. dia.

40.00 Set of Sec. post, from which  
 an Ash 3 in. dia., bray S 19 E 2 lb. dist.  
 a Hickory 14 " " " S 37 W 20 " "57.8<sup>3</sup> a Beech 13 " "65.70 Intersected the N. Boundary 172 lb. E. of post  
 Set post Cor. to Sec. 4 & 5, from which  
 a Beech 14 in. dia., bray S 47 W 18 lb. dist.  
 an Elm 24 " " " S 43 E 27 " "  
 (Description of land &c. Omitted)

North Between Sec. 31 &amp; 32

26.07 a Beech 12 in. dia.

40.00 Set of Sec. post, from which  
 a Hickory 12 in. dia., bray S 30 E 16 lb. dist.  
 an Ironw. 4 " " " S 65 W 3 " "

58.39 an Ash 10 " "

80.00 Set post Cor. to Sec. 29, 30, 31 &amp; 32, from which

245

St. R 8 E. 2<sup>d</sup>. Mer. Indiana  
 ch. lth  
 a Beech 6 m. dia. bray N 84 E 28 lth. dist. of  
 a Do. 10 " " " S 55 W 12 " "  
 Land level 2<sup>d</sup> rate, timber, Beech, Oak, Ash,  
 Sugar &c. underg<sup>m</sup>. Spruce & prickly ash

---

East On Rand<sup>m</sup> between Sec. 29 & 32  
 14.50 a Beech 24 m. dia.  
 40.00 Let temp<sup>y</sup>. gr. Sec. post  
 78.98 Intersected the St. of S. line 50 lth. N. of post  
 Land 2<sup>d</sup> rate, timber Beech, Oak, Maple, Oak  
 Elm, Hackberry &c. underg<sup>m</sup>. Spruce & greenbrier

---

West Connected between Sec. 29 & 32  
 39.49 Let gr. Sec. post at average dist. from which  
 a W. Oak 24 m. dia. bray S 36 E 8 lth. dist. of  
 a Beech 2 " " " N 76 E 17 " "  
 78.98 to Sec. Corner. Oct. 12<sup>th</sup> 1879

---

West Between Sec. 30 & 31  
 18.32 a Beech 14 m. dia.  
 40.00 Let gr. Sec. post, from which  
 a Beech 30 m. dia. bray N 77 E 23 lth. dist. of  
 a Do 10 " " " S 24 E 11 " "  
 65.76 Intersected W. boundary 125 lth. S. of post  
 Let post Cor. to Sec. 30 & 31, from which  
 a Beech 24 m. dia. bray S 52 E 8 lth. dist. of  
 a W. Oak 14 " " " S 84 W 25 " "  
 Land timber &c. same as on the last mile

---

North Between Sec. 29 & 30  
 19.42 a Poplar 48 m. dia.  
 40.00 Let gr. Sec. post, from which  
 a Beech 9 m. dia. bray S 88 W 7 lth. dist. of  
 a Dogwood 3 " " " S 24 E 8 " "  
 70.15 an Ash 20 " "  
 80.00 Let post Cor. to Sec. 19, 20, 29 & 30, from which

246 N 3/4 Sec 18 E. T. Mer. Indiana

ch 2 1/2 mi

a Beech 12 mi. dist. from, bearing N 8 E 16 1/2 mi. dist. of  
an Ash 12 " " " N 30 W 25 " "  
Land timber &c. Same as on the last mile

---

East On Land between Sec. 20 & 29

19.61 on Ash 14 mi. dist.

40.00 Let q. Sec. post

78.80 Intersected the N of S. line 30 1/2 mi. N. of post  
Land timber &c. Same as on the last mile

---

West Corrected between Sec. 20 & 29

5.98 a Beech 24 mi. dist.

39.40 Let q. Sec. post at average dist. from which

a Beech 10 mi. dist. bearing N 5 E 23 1/2 mi. dist. of

a do. 18 " " " N 40 E 22 " "

78.80 to Sec. Corner.

---

West Between Sec. 19 & 30

12.18 a W. Oak 30 mi. dist.

40.00 Let q. Sec. post from which

a Beech 5 mi. dist. bearing N 70 W 11 1/2 mi. dist. of

a do. 18 " " " N 59 E 18 " "

62.25 a Hickory 21 " "

66.25 Intersected, W. boundary 30 1/2 mi. N. of post

Let post Cor. to Sec 19 & 30, from which

a Beech 10 mi. dist. bearing North 17 1/2 mi. dist. of

a Poplar 20 " " " N 6 E 25 " "

Land 2 " rate

---

North Between Sec. 19 & 20

14.90 a Poplar 20 mi. dist.

40.00 Let q. Sec. post, from which

a Boxelder 10 mi. dist. bearing N 50 E 6 1/2 mi. dist. of

a Beech 12 " " " N 46 W 26 " "

66.26 a Beech 30 " "

77.50 a Stream 50 1/2 mi. wide Course N.W.

247

Tr. N. R. & E. 2<sup>nd</sup> Mer. Indiana

80.00 Let post Cor. to Sec. 17, 18, 19 & 20, from which  
an Elm 24 in. dia. bray N 24 W 21 lns. dist. of  
a W. Walnut 12 " " " South 21 " "  
(Description of land &c. omitted)

---

East On / Cand<sup>m</sup> between Sec. 17 & 20

15.28 an Ash 10 in. dia.

16.75 a Creek 50 lns. wide Course S. W.

40.00 Let temp<sup>y</sup>. of Sec. post

78.80 Intersected the N. & S. line 25 lns. N. of post  
Land 2<sup>nd</sup> Rate, timber Beech, ash, Sug<sup>r</sup>. Oak &c.

---

West Corrected between Sec. 17 & 20

9.05 a Beech 14 in. dia.

39.40 Let of Sec. post at average dist. from which  
a Beech 4 in. dia. bray N 58 W 9 lns. dist. of  
a No. 5 " " " S 9 E 6 " "  
78.80 to Sec. Corner

---

West Between Sec. 18 & 19

4.00 a Stream 50 lns. wide Course N. W.

20.15 an Elm 12 in. dia.

40.00 Let of Sec. post, from which  
a Beech 7 in. dia. bray S 21 W 15 lns. dist. of  
a No. 5 " " " S 7 W 20 " "  
56.21 a No. 8 " " "  
67.20 Intersected W. boundary 170 lns. N. of post  
Let post Cor. to Sec. 18 & 19, from which  
an Elm 16 in. dia. bray S 6 W 3 lns. dist. of  
a Hickory 18 " " " N 2 E 20 " "  
Land & timber &c. same as on the last mile

---

North Between Sec. 17 & 18

14.27 a Beech 30 in. dia.

40.00 Let of Sec. post, from which  
a Beech 12 in. dia. bray N 75 E 24 lns. dist. of



# Post R&E, 2<sup>d</sup> Mer. Indiana

ch<sup>2</sup>ly a Beech 8 mi. dist. bray N 67 W 19 mi. dist.  
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 14 mi. dist. bray S 87 E 10 mi. dist. of  
 a Do. 14 " " " N 89 W 25 " "  
 Sand 2<sup>d</sup> rate, timber, Beech, Ash, Sugar, Oak  
 Maple &c. Oct. 13<sup>th</sup> 1819

## East On Land<sup>m</sup>. between Sec. 8 & 17

4.70 an Elm 30 mi. dist.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 78.62 Intersected the N. of S. line 20 mi. N. of post  
 Sand timber &c. Same as on the last mile

## West Corrected between Sec. 8 & 17

18.71 a Beech 10 mi. dist.  
 39.31 Set of Sec. post, from which  
 a B. Walnut 12 mi. dist. bray S 76 W 10 mi. dist. of  
 a Beech 14 " " " N 89 E 22 " "  
 78.62 to Sec. Corner.

## West Between Sec. 7 & 18

20.18 an Ash 20 mi. dist.  
 40.00 Set of Sec. post, from which  
 a Beech 12 mi. dist. bray N 11 W 13 mi. dist. of  
 a Do. 10 " " " S 1 W 11 " "  
 48.53 an Ash 36 " "  
 66.84 Intersected the W. boundary 300 mi. N. of post  
 Set post Cor. to Sec. 7 & 18, from which  
 an Ash 24 mi. dist. bray S 10 W 15 mi. dist. of  
 a Beech 12 " " " N 9 E 50 " "  
 Sand timber &c. Same as on the last mile

## North Between Sec. 7 & 8

13.15 a Beech 12 mi. dist.  
 40.00 Set of Sec. post, from which  
 a Sugar 12 mi. dist. bray N 25 W 27 mi. dist. of

249

Plot N 8 E. 2<sup>d</sup> Mer. Indiana  
ch. 1<sup>st</sup> on Ash 8 mi. dia. bray N 28 E 5 km. dist. of  
55.35 at Beech 13 " " "  
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 12 mi. dia. bray N 20 W 18 km. dist. of  
a No. 26 " " " N 86 E 10 " "  
(Description of land &c. Omitted)

---

East Rand. between Sec. 5 & 8  
28.49 a Beech 15 mi. dia.  
40.00 Set temp. q. Sec. post  
78.61 Intersected the N of S. line 25 km. N. of post  
Land & rate timber as usual

---

West Cor. between Sec. 5 & 8  
9.08 a Elm 6 mi. dia.  
39.30 Set q. Sec. post at average dist. from which  
a Sugar 24 mi. dia. bray N 31 W 23 km. dist. of  
a Beech 12 " " " N 22 W 30 " "  
78.61 to Sec. Corner.

---

West Between Sec. 6 & 7  
19.95 a Beech 14 mi. dia.  
40.00 Set q. Sec. post, from which  
an Elm 14 mi. dia. bray N 7 1/2 W 14 km. dist. of  
a Beech 20 " " " N 70 E 33 " "  
57.50 a Ash 15 " "  
67.18 Intersected W. boundary 440 km. N. of post  
Set post Cor. to Sec. 6 & 7, from which  
a Dogwood 4 mi. dia. bray N 15 W 7 km. dist. of  
a Beech 24 " " " N 41 E 14 " "  
(Description of land &c. Omitted)

---

North Between Sec. 5 & 6  
13.41 a Beech 10 mi. dia.  
40.00 Set q. Sec. post, from which  
a Sugar 8 mi. dia. bray N 74 W km. dist. of

250

Twp N 8 E. 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2

a Beech 20 mi. dia. bay N 51 E 31 1/2 mi. dist  
 51.60 a Do 24 "  
 64.60 intersected the N. boundary 248 1/2 E. of post  
 at post Cor. to Sec. 5 of 6, from which  
 a Beech 14 mi. dia. bay S 21 W 23 1/2 mi. dist of  
 a Do. 121 " " " N 51 E 15 "  
 Land 2<sup>d</sup> rate, timber Beech, Ash, Sugar  
 Oak &c. underg<sup>d</sup>. Office &c. Oct. 15<sup>th</sup> 1819  
 Surveyed by A. B. Laughlin,  
 Deputy Surveyor

Comp.

I certify that the foregoing transcript of field notes  
 of Township N. 13 North, Range N. 8 East 2<sup>d</sup> Meridian  
 Indiana, has been compared, with the original notes  
 in this Office and found to be correct.

Surveyor General's Office  
 Cincinnati, Oct. 4<sup>th</sup> 1842

William Johnston  
 Sur. Genl.